




SSP

Safety System Products

LED - Signal Lamp Red L2

Your advantages

To the downloads ►



we simplify safety

LED - Signal Lamp Red L2

General data

Item number	SP-X-88-000-18
Installation opening button	Ø 0.88 in / Ø 22.3 mm
Type designation	L3
Colour	Red

Safety data

Approvals	CE
-----------	----

Electrical data

Bounce time	<10 ms
Bounce time NC	<10 ms
Illumination	LED
mechanical lifespan	1.000.000 switching cycles
electrical lifespan	1.000.000 switching cycles


Mechanical data

Torque (mounting nut)	1.5...1.9 Nm
-----------------------	--------------

Electrical drawings

LED - Signal Lamp Red L2

Connection example 1



Equipment

Wireless Safety

Inscription label set ZB1

SP-X-88-001-21



Inscription label set ZB2

SP-X-88-001-22





Inscription label set ZB3

SP-X-88-001-23



LED - Signal Lamp Red L2

	Inscription label set ZB4	SP-X-88-001-93	
Article code ZMT	Installation wrench	SP-X-88-001-25	
Article code ZUK	Liftingtool for button and light caps	SP-X-88-001-26	
Artikelcode ZLK5	Signal light caps set for signal lights	SP-X-88-001-19	

Downloads

- Product line
- Operating Instructions