



# **SSP**

---

**Safety System Products**

## **CD15**

**M12-female connector, 5 pin, 15 m**

### **Your advantages**

**To the downloads ►**



**we simplify safety**

## CD15

M12 cable, 5 Pins, 5 x 0,34 mm<sup>2</sup>, open end, 15 m

### General data

|                                 |                          |
|---------------------------------|--------------------------|
| Type designation                | CD15                     |
| Wiring color K1                 | BR, WH, BL, BK, GY       |
| EOS4 A receiver                 | <input type="checkbox"/> |
| EOS transmitter                 | <input type="checkbox"/> |
| SAFEGATE transmitter            | <input type="checkbox"/> |
| EDI B7                          | <input type="checkbox"/> |
| EDI D1B                         | <input type="checkbox"/> |
| EDI E1B                         | <input type="checkbox"/> |
| Safety Simplifier               | <input type="checkbox"/> |
| Simplifier wireless distributor | <input type="checkbox"/> |

### Safety data

|           |        |
|-----------|--------|
| Approvals | UL2464 |
|-----------|--------|

### Environmental conditions

|                            |                |
|----------------------------|----------------|
| Max. operating temperature | -10 ... +55 °C |
|----------------------------|----------------|

### Electrical data

#### Pin assignment according DIN 47100

|   |       |
|---|-------|
| 1 | Brown |
| 2 | White |
| 3 | Blue  |
| 4 | Black |
| 5 | Grey  |


### Mechanical data

|                            |                                      |
|----------------------------|--------------------------------------|
| Conductor cross-section K1 | 0,34 mm <sup>2</sup> mm <sup>2</sup> |
|----------------------------|--------------------------------------|


## CD15

### Electrical drawings

#### Pin assignment 1




#### Pin assignment 2



### Drawings

#### Dimensions



## CD15

### Downloads

- Product line
- EPLAN-Data