



SSP

Safety System Products

EDI A1

Emergency stop button

Your advantages

- Robust design
- Protection class up to IP69k
- User-friendly status display via coloured marking of the emergency stop button
- The optionally available self-monitoring safety contact can detect any type of fault (incorrect installation of the emergency stop button or a detached contact block)



To the downloads ►

we simplify safety

EDI A1

The EDI emergency stop buttons have a modular design.

Select the head, contact and if desired the corresponding housing or simply immediately select the EDI slimline variant in a slimline housing. The special feature of the EDI buttons is the optionally available self-monitoring contact.

To help maintain safety, the switching elements in the emergency stop buttons/emergency off buttons are fitted with a safety contact. This constantly monitors the proper connection between the emergency stop button/emergency off button and the contact element. Even redundant, secure emergency off chains are ineffective if the contact is not perfectly connected to the emergency off actuator. If the emergency stop button/emergency off button becomes disconnected from the contact element due to negligent installation or mechanical damage, the safety contact trips immediately and the machine is shut down. The machine can only be placed into operation again when the fault has been rectified.

General data

Functional type	Emergency stop button
Item number	SP-G-60-000-01

Safety data

Approvals	TÜV_SÜD, CE
-----------	-------------

Environmental conditions

Max. storage temperature	-50 ... 85 °C
Max. operating temperature	-30 ... 70 °C

Electrical data

Rated operating current I _N	16(10) A
--	----------

Mechanical data

Mounting position	any
Installation opening	22,3
Torque (mounting nut)	max. 2,5 Nm

EDI A1

Mechanical service life

50.000 switching cycles

Equipment

Operating elements

Contact modules (direct opening mechanism)

EDI ZA1


SP-G-62-000-07



Contact modules (direct opening mechanism)

EDI ZA2

SP-G-62-000-03



Contact modules (direct opening mechanism)

EDI ZB1

SP-G-62-000-06



Contact modules, self-monitoring

EDI ZB2

SP-G-62-000-02



Contact modules, Quick-connect Terminal

EDI ZC1

SP-G-62-000-05



Contact modules

EDI ZC2

SP-G-62-000-01



Module attachment for 3 modules | spring-loaded

EDI ZH1

SP-G-62-000-11

terminals



EDI A1

Module attachment for 3 modules screw terminals	EDI ZH2	SP-G-62-000-10	
Module holder for 5 modules screw terminals	EDI ZI2	SP-G-62-000-09	
Empty housing for EDI A	EDI ZK4	SP-G-62-000-14	
Empty housing for EDI A	EDI ZK5	SP-G-62-000-15	
Empty housing for EDI A	EDI ZK8	SP-G-62-000-16	

Downloads

- CAD-Data
- Operating manual
- EPLAN-Data