



# SSP


## Safety System Products

### EDI A3

### Emergency stop button

#### Your advantages

- Robust design
- Protection class up to IP69k
- User-friendly status display via coloured marking of the emergency stop button
- Mit Blockierschutzkragen
- The optionally available self-monitoring safety contact can detect any type of fault (incorrect installation of the emergency stop button or a detached contact block)



**To the downloads ►**

**we simplify safety**

## EDI A3

The EDI emergency stop buttons have a modular design.

Select the head, contact and if desired the corresponding housing or simply immediately select the EDI slimline variant in a slimline housing. The special feature of the EDI buttons is the optionally available self-monitoring contact.

To help maintain safety, the switching elements in the emergency stop buttons/emergency off buttons are fitted with a safety contact. This constantly monitors the proper connection between the emergency stop button/emergency off button and the contact element. Even redundant, secure emergency off chains are ineffective if the contact is not perfectly connected to the emergency off actuator. If the emergency stop button/emergency off button becomes disconnected from the contact element due to negligent installation or mechanical damage, the safety contact trips immediately and the machine is shut down. The machine can only be placed into operation again when the fault has been rectified.

### General data

Functional type	Emergency stop button
Item number	SP-G-60-000-03

### Safety data

Approvals	TÜV_SÜD, CE
-----------	-------------

### Environmental conditions

Max. storage temperature	-50 ... 85 °C
Max. operating temperature	-30 ... 70 °C

### Electrical data

Rated operating current I <sub>N</sub>	16(10) A
--	----------

### Mechanical data

Mounting position	any
Installation opening	22,3
Torque (mounting nut)	max. 2,5 Nm

## EDI A3

Mechanical service life

50.000 switching cycles

### Equipment

#### Operating elements

Contact modules (direct opening mechanism)	EDI ZA1	SP-G-62-000-07
Contact modules (direct opening mechanism)	EDI ZA2	SP-G-62-000-03
Contact modules (direct opening mechanism)	EDI ZB1	SP-G-62-000-06
Contact modules, self-monitoring	EDI ZB2	SP-G-62-000-02
Contact modules, Quick-connect Terminal	EDI ZC1	SP-G-62-000-05
Contact modules	EDI ZC2	SP-G-62-000-01
Module attachment for 3 modules   spring-loaded terminals	EDI ZH1	SP-G-62-000-11
Module attachment for 3 modules   screw terminals	EDI ZH2	SP-G-62-000-10
Module holder for 5 modules   screw terminals	EDI ZI2	SP-G-62-000-09
Empty housing for EDI A	EDI ZK4	SP-G-62-000-14
Empty housing for EDI A	EDI ZK5	SP-G-62-000-15
Empty housing for EDI A	EDI ZK8	SP-G-62-000-16

### Downloads

- CAD-Data
- Certificate
- Product line
- Operating manual
- Operating manual
- EPLAN-Data