



SSP

Safety System Products

SB-H04-EA-IA-IA-IA-Q1A0-Q2A0-Q3E0-Q4A0-W07

Simplifier BOX 253

Your advantages

To the downloads ►



we simplify safety



Safety System Products

SB-H04-EA-IA-IA-IA-Q1A0-Q2A0-Q3E0-Q4A0-W07

- SB-H04: Simplifier Box
- Lower housing: Color anthracite, no opening for connectors on the back
- Upper housing: Color yellow, possible integration of three control points
- EA: Emergency stop button, 2 x NC
- IA: Illuminated button, 1x NO (5 x button caps enclosed)
- IA: Illuminated button, 1x NO (5 x button caps enclosed)
- IA: Illuminated button, 1x NO (5 x button caps enclosed)
- Q1A0: Connector at the bottom left with cover
- Q2A0: Connector on top left with cover
- Q3E0: Bottom right male connector M12 12-pin
- Q4A0: Connector on top right with cover
- W07: already prewired

General data

Button position 1

Function type	Not-Halt-Taster
Type designation	SB-H04-EA-IA-IA-IA-Q1A0-Q2A0-Q3E0-Q4A0-W07
Type designation	EA
Functional type	Operating unit
Type designation	IA

Button position 2

Item number	SP-X-87-000-07
Function type	Illuminated Button

Button position 3

Type designation	IA
Function type	Illuminated Button

Button position 4

Type designation	IA
Function type	Illuminated Button

SB-H04-EA-IA-IA-IA-Q1A0-Q2A0-Q3E0-Q4A0-W07

Connection

- Position 1	Q1A0- Connection bottom left with cover
- Position 2	Q2A0 - Connection top left with cover
- Position 3	Q3E0- Bottom right male connector M12 12-pin
- Position 4	Q4A0- Anschluss top right with cover

Safety data

Approvals	CE
-----------	----

Environmental conditions

Max. storage temperature	□20 ... + 65 °C
Max. operating temperature	□20 ... + 65 °C

Electrical data

Connection type	Spring-loaded terminals
Utilisation category	DC13

Mechanical data

Housing type	Yellow housing with the possibility of fitting 4 control points
Width	42 mm
Length	253 mm

Dimensions


Height	44 mm
--------	-------

Equipment

Wireless Safety

Article code ZTK5	Button cap set for illuminated buttons	SP-X-88-001-19	
-------------------	---	----------------	---

SB-H04-EA-IA-IA-IA-Q1A0-Q2A0-Q3E0-Q4A0-W07

Article code ZTK6	Button cap sets for unlit	SP-X-88-001-19	
	buttons		
	Inscription label set ZB1	SP-X-88-001-21	
	Inscription label set ZB2	SP-X-88-001-22	
	Inscription label set ZB3	SP-X-88-001-23	
Article code ZMT	Installation wrench	SP-X-88-001-25	
Article code ZUK	Liftingtool for button and light caps	SP-X-88-001-26	
Article code ZMB	Mounting plate big	SP-N-88-850-02	

SB-H04-EA-IA-IA-IA-Q1A0-Q2A0-Q3E0-Q4A0-W07

Article code ZMS

Mountingplate small

SP-N-88-850-01



Article code ZSD

Screw with seal

SP-X-88-001-89



Artikelcode ZLK5

Signal light caps set for
signal lights

SP-X-88-001-19



Fastening set for Safety Simplifier for back panel
mounting

Simplifier ZHMS

SP-X-88-001-91



Fastening set for Safety Simplifier

Simplifier ZHS

SP-X-88-001-91



Downloads

- Product line
- Operating Instructions