



SSP


Safety System Products

Illuminated Button Green I4

Illuminated 1 x NO

Your advantages

To the downloads ►



we simplify safety

Illuminated Button Green I4

- Illuminated
- Pushbutton green
- Safety contact 1x NO

General data

Item number	SP-X-88-000-14
Type designation	Simplifier I4
Installation opening button	Ø 0.88 in / Ø 22.3 mm
Colour	Green

Safety data

Approvals	CE
-----------	----

Electrical data

Bounce time	<10
Bounce time NC	<10 ms
mechanical lifespan	1.000.000 switching cycles
Rated operating voltage U _e	24 V
Rated operating current I _Δ	0.25 A
Switch type	Turnkey (NO) 1, LED 1
Illumination	LED
electrical lifespan	1.000.000 switching cycles
	<50 mOhm (AU)
Switching capacity	10 I _e
Continuous thermal current	5 A
Number of pins	6

Wire size

Single - wire	28...20 AWG / 0.08...0.5 mm ²
Fine - wire	28...20 AWG / 0.08...0.5 mm ²
Fine - wire (wire end ferrule with plastic collar)	0.25 mm ² / 24 AWG
Fine - wire (wire end ferrule without plastic collar)	0.25 mm ² / 24 AWG
Wire stripping	5...6 mm / 0.2...0.24 in

Illuminated Button Green I4



Mechanical data

Torque (mounting nut)	1.5...1.9 Nm
-----------------------	--------------



Electrical drawings

Illuminated Button Green 14

Connection example 1

Artikelcode	Beleuchteter Taster Grün 14 
SP-X-88-000-14	

Illuminated Button Green I4

Article code ZTK5	Button cap set for	SP-X-88-001-19	
	illuminated buttons		
	Inscription label set ZB1	SP-X-88-001-21	
	Inscription label set ZB2	SP-X-88-001-22	
	Inscription label set ZB3	SP-X-88-001-23	
	Inscription label set ZB4	SP-X-88-001-93	
Article code ZMT	Installation wrench	SP-X-88-001-25	
Article code ZUK	Liftingtool for button and	SP-X-88-001-26	
	light caps		

Illuminated Button Green I4

Downloads

- Touch Panel
- Product line