



# SSP

Safety System Products

## XCONN Y1-M12

### Y-distributor

### Your advantages

[To the downloads ►](#)



**we simplify safety**



Safety System Products

## XCONN Y1-M12

Resistance value	≤ 5 Ohm
------------------	---------

### General data

Item number	SP-X-71-000-02
Type designation	XCONN Y1-M12
Functional type	Y-distributor

### Environmental conditions

Protection class	IP67 in installed state
Max. operating temperature	-20...+ 65 °C
Max. storage temperature	-25...+ 70 °C

### Electrical data

Design / Connections	M12 male connector
Contact material	Brass with gold-plated contacts
Max. voltage (VDC)	2,0 A

### Mechanical data


Width	34 mm
Length	48,4 mm
Height	17 mm
Housing material	PBT

### Drawings

we simplify safety





## XCONN Y1-M12

### Dimensions



### Equipment

#### Safety switches

RFID Safety Sensor, lowcoded, autom. reset, M8	SAFIX S1	SP-K-70-000-00	
Passive distributor	XCONN P6-M12-10m	SP-X-71-000-04	
Passive distributor	XCONN P6-M12-5m	SP-X-71-000-00	
Passive distributor	XCONN P6-M12-M23	SP-X-71-000-01	

## **XCONN Y1-M12**

### **Downloads**

---

- CAD-Data
- EPLAN data
- Product line
- Catalog